



ENERGIZE YOUR PRODUCTIVITY

STANLEY is the ONLY company to provide a 60 Volt tool


B33 — Angle Head Nutrunner




B33LA15-40

	STANLEY Assembly Technologies	Ingersoll Rand	Atlas Copco	Desoutter	Cleco / Apex	THE STANLEY ADVANTAGE:
Battery	Lithium-Ion 60V Max 2.0 Ah or 3.0 Ah	Lithium-Ion 40V Max 2.5 Ah	Lithium-Ion 30V Max 2.6 Ah	Lithium-Ion 36V Max 2.1 Ah	Lithium-Ion 44V Max 1.65 Ah	Highest Power Rated Tool
Battery Capacity (Watt Hours)	180 Watt Hours 60V x 3.0Ah = 180 Watt Hours	100 Watt Hours 40V x 2.5Ah = 100 Watt Hours	78 Watt Hours 30V x 2.6Ah = 78 Watt Hours	76 Watt Hours 36V x 2.1Ah = 76 Watt Hours	73 Watt Hours 44V x 1.65Ah = 73 Watt Hours	Greatest Amount of Energy per Battery
Torque	2.8 - 95 (Nm)*	4 - 80 (Nm)	6 - 150 (Nm)	5 - 95 (Nm)	5.5 - 65 (Nm)	Fastest Tool Average Over the Entire Available Torque Range <i>*Specials Available for Higher Torque</i>
Speed	1698 - 237 (RPM)	1045 - 375 (RPM)	610 - 72 (RPM)	900 - 240 (RPM)	891 - 236 (RPM)	Fastest Charging Battery per Total Battery Energy
Charge Time	Full Charge in 60 Minutes	Full Charge in 60-90 Minutes	Full Charge in 70 Min	Full Charge in 60 Min	Full Charge in 60 Min	Best in Class Warranty Coverage
Standard Warranty	18 Months	12 Months				

LI-ION 60V MAX BATTERY VOLTAGE SCALE



STANLEY TOOL SPEED VS COMPETITORS



STANLEYEngineeredFastening.com



B33L_Comp_ENU_0718 © STANLEY Black & Decker, Inc. All Rights Reserved.